

FIG. 1

**Histamine Release Assay
RBL-2H3 mast cell line**








FIG. 2

**FIG._3A****FIG._3B**

**FIG._3C****FIG._3D**




FIG._3E









FIG. 4

**FIG._5A****FIG._5B**

**FIG._6**

**FIG. 7A****FIG. 7B**





FIG. 8

**FIG._9A****FIG._9B****FIG._9C****FIG._9D**




FIG._10A


FIG._10B



FIG._10C

FIG._10D

**FIG._10E****FIG._10F**

**FIG._11A****FIG._11B****FIG._11C****FIG._11D**


**FIG._11E****FIG._11F****FIG._11G****FIG._11H**



FIG._12A

FIG._12B



FIG._12C

FIG._12D

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☒ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.